

A Containment System

- Completely portable
- Durable, high quality, high strength steel construction
- Hazard labeling
- Easy under floor visual inspection
- Static grounding
- 2-year manufacturer's warranty

Common Applications

Common solution for:

- Regulatory compliance
- Security
- Secondary containment
- Limiting personal and property liability
- Employee production
- Improved public image

Capacity / Size

See page 2 for a complete chart outlining the standard models available and corresponding specifications.

- From 4' to 24' long
- From 5 to 44 drums capacity
- Customizing available on all models

Features

- Options include: Non-fire rated, 2-hour fire rated, and 4-hour fire rated
- Advanced protective coatings
 throughout
- Oversized sump capacity
- No ground-to-metal contact
- Easy to move with built-in forklift access points
- UL listed, fire-rated doors (on fire-rated models)
- Heavy duty security latch with emergency release
- Completely prefabricated and ready to use

Available Options

- Fire suppression systems
- Interior partition wall(s)
- Emergency eye / face cleansing systems
- Interior lighting
- Adjustable storage shelving for small containers

MORE

- Forced air ventilation systems
- Loading ramp

BF

то

FRFD



BENKO RODÚCTS hemical Storage

Chemical Storage Buildings / Containers

Environmental Product's Chemical Storage Buildings offer the highest quality and the best available technology to provide safe chemical storage and storage of other hazardous materials. Sized for capacities from 5 through 44 drums, these storage units feature modular construction and riveted design, allowing for quick assembly and delivery.

- Exterior lighting
- Spill detection system
- R12 insulation
- Fiberglass floor grating
- Full customizing available upon request

Installation

Shipped completely assembled.

Set in place and hook up power supply.



Designed, Patented and Manufactured by: Benko Products Inc. • 5350 Evergreen Pkwy • Sheffield Village, Ohio • 44054 Phone (440) 934-2180 • Fax (440) 934-4052 • email: info@benkoproducts.com www.benkoproducts.com



Manufactured by BENKO PRODUCTS ENGINEERED TO BE MORE

Chemical Storage Buildings / Containers









Fire Rated	Model: 1212	1220	1228	1236	1244
Non-Fire Rated	Model: 1112	1120	1128	1136	1144
Outside Dim: L x W x H	8' x 8'6" x 8'6"	12' x 8'6" x 8'6"	16' x 8'6" x 8'6"	20' x 8'6" x 8'6"	24' x 8'6" x 8'6"
Door Opening: W x H	4'10-3/4" x 6'6-1/2"				
Weight: (approx / lbs)	5,500	7,000	8,500	10,000	11,500
Capacity: (55 gal. drums)	12 drums	20 drums	28 drums	36 drums	44 drums
Sump Capacity:	245 gallons	367 gallons	490 gallons	612 gallons	735 gallons



WARRANTY: All products manufactured by Benko Products, Inc. have a two (2) year warranty (unless otherwise specified) from the date of purchase against defects in workmanship or material. Any part or component, except items covered by warranties of other manufacturers, returned to the factory or service center freight prepaid by the owner, found upon examination by Benko Products, Inc. to be defective or the result of improper workmanship by the factory will be repaired or replaced without charge and returned to the owner freight prepaid by Benko Products, Inc. Any alterations of Benko Products, Inc. products void any warranty or liability on the part of Benko Products, Inc. Benko Products, Inc. does not guarantee product capacity if alterations are made.



A Containment System

- Completely portable
- Durable, high quality, high strength steel construction
- Hazard labeling
- Easy under floor visual inspection
- Static grounding
- 2-year manufacturer's warranty

Common Applications

Common solution for:

- Regulatory compliance
- Security
- Secondary containment
- Limiting personal and property liability
- Employee production
- Improved public image

Capacity / Size

See page 2 for a complete chart outlining the standard models available and corresponding specifications.

- From 4' to 24' long
- From 5 to 44 drums capacity
- Customizing available on all models

Features

- Options include: Non-fire rated, 2-hour fire rated, and 4-hour fire rated
- Advanced protective coatings
 throughout
- Oversized sump capacity
- No ground-to-metal contact
- Easy to move with built-in forklift access points
- UL listed, fire-rated doors (on fire-rated models)
- Heavy duty security latch with emergency release
- Completely prefabricated and ready to use

Available Options

- Heating or cooling capabilities
- Fire suppression systems
- Interior partition wall(s)
- Emergency eye / face cleansing systems
- Interior lighting
- Forced air ventilation systems

MORE

• Loading ramp

то

NFFRFD

Exterior lighting

BF

Environmental Products Manufactured by BENKO RODUCTS

Chemical Storage Cabinets

ENGINEERED TO BE MOR

Environmental Product's Chemical Storage Buildings offer the highest quality and the best available technology to provide safe chemical storage and storage of other hazardous materials. Sized for capacities from 5 through 44 drums, these storage units feature modular construction and riveted design, allowing for quick assembly and delivery.

- Spill detection system
- R12 insulation
- Fiberglass floor grating
- Full customizing available upon request

Installation

Shipped completely assembled.

Set in place and hook up power supply.



Designed, Patented and Manufactured by: Benko Products Inc. · 5350 Evergreen Pkwy · Sheffield Village, Ohio • 44054 Phone (440) 934-2180 · Fax (440) 934-4052 · email: info@benkoproducts.com www.benkoproducts.com



Manufactured by BENKO PRODUCTS ENGINEERED TO BE MORE

Chemical Storage Cabinets



2 Hour Fire Rated / Explosion Resistant						
Model:	1204	1208	1212	1216	1224	1232
Outside Dimensions:	5'6" x 5' x 5'6"	10' x 5' x 5'6"	15' x 5' x 5'6"	10' x 5 ' x 10'	15' x 5' x 10'	20' x 5' x 10'
L x D x H						
Capacity: Drums	4	8	12	16	24	32
Capacity: Pallets	1	2	3	4	6	8
Sump Capacity:	56 gal.	110 gal.	165 gal.	213 gal.	330 gal.	440 gal.

Non-Fire Rated / Explosion Resistant						
Model:	1104	1108	1112	1116	1124	1132
Outside Dimensions:	5'6" x 5' x 5'6"	10' x 5' x 5'6"	15' x 5' x 5'6"	10' x 5 ' x 10'	15' x 5' x 10'	20' x 5' x 10'
L x D x H						
Capacity: Drums	4	8	12	16	24	32
Capacity: Pallets	1	2	3	4	6	8
Sump Capacity:	56 gal.	110 gal.	165 gal.	213 gal.	330 gal.	440 gal.



WARRANTY: All products manufactured by Benko Products, Inc. have a two (2) year warranty (unless otherwise specified) from the date of purchase against defects in workmanship or material. Any part or component, except items covered by warranties of other manufacturers, returned to the factory or service center freight prepaid by the owner, found upon examination by Benko Products, Inc. to be defective or the result of improper workmanship by the factory will be repaired or replaced without charge and returned to the owner freight prepaid by Benko Products, Inc. Any alterations of Benko Products, Inc. products void any warranty or liability on the part of Benko Products, Inc. Benko Products, Inc. does not guarantee product capacity if alterations are made.



A Containment System

- Capacities from 1 to 8 drums, or up to 2 IBC totes.
- Spill containment capacity exceeds E.P.A. and U.F.C. standards
- Completely portable
- Durable, high quality, high strength steel construction
- Coated with chemical resistant epoxy paint
- Removable grating for easy access to sump area (fiberglass grating available)
- Static grounding connector
- Optional corner posts, chains, and three (3) sidewalls

- Stainless steel construction availableEasy visual inspection
- "Cart" model available with casters and handle
- 2-year manufacturer's warranty

Common Applications

Common solution for:

- Regulatory compliance
- Security

NEERED TO

- Secondary containment
- Limiting personal and property liability
- Improved public image

ΒЕ



Chemical Storage Spill Containment Pallets

Environmental Products' steel spill containment pallets provide an economical, responsible solution for storing from 1 to 8 chemical drums. Also perfect for up to 2 I.B.C. totes, our spill containment pallets safely contain spills to keep your facility clean, safe and environmentally friendly.

Contact us for a quote today!

Capacity / Size

See below for a complete chart outlining the standard models available and corresponding specifications.

*Custom sizes available.



Model:	Dim: L x D x H	Unit Weight:	Load Capacity:	Sump Capacity:
1 Drum	36" x 36" x 8"	80 lbs	500 lbs	40 gal.
2 Drums	60" x 36" x 8"	150 lbs	1000 lbs	70 gal.
4 Drums / 1 Tote	60" x 60" x 8"	275 lbs	2000 lbs	120 gal.
8 Drums / 2 Totes	120" x 60" x 8"	490 lbs	4000 lbs	220 gal.

MORE

Designed, Patented and Manufactured by: Benko Products Inc. · 5350 Evergreen Pkwy · Sheffield Village, Ohio • 44054 Phone (440) 934-2180 · Fax (440) 934-4052 · email: info@benkoproducts.com www.benkoproducts.com